## HEATIT EEZEDIM 2P WHITE RAL 9010

Rotary dimmer 5W-250W 2 Pol

| | |
|---|---|
| **Art.no** | 1444431 |
| **GTIN** | 7071236016892 |

Heatit eezedim 2P is a 2-poled rotary dimmer for dimming lights in bathrooms and other rooms requiring a 2-pole switch. Heatit eezedim 2P is very well suited for LED. It can also be used for incandescent lamps, electronic transformers or 230VAC halogen lamps.

The dimmer fits in an European electrical wall box and can be used with most frames that are adapted to System 55.

## PRODUCT FEATURES

- 2-poled rotary dimmer
- 4-wire
- 5W - 250W LED
- Connection of both phases (2-pole break)
- Trailing edge
- Min. dim level

## ELECTRO TECHNICAL DATA

| | |
|---|---|
| Voltage | 230VAC 50Hz |
| Voltage Output | 230VAC 50Hz |
| Connection terminals diameter | 0.2 to 2.5mm$^2$ |
| Max tightening torque connections | 2N·m |
| Connection type | Screw clamps |
| Method of regulation | Rotary dimming |

## PRODUCT DATA

| | |
|---|---|
| Ambient temperature range in use | 5 to 40℃ |
| Ambient temperature range in storage | -30 to 70℃ |
| Min. and max ambient humidity (RH%) | 10 to 85% |
| Colour | White RAL 9010 |
| Mounting | European Junction Box |

## ADDITIONAL INFO

| | |
|---|---|
| IP Code | IP21 |
| Certification | Reach, RoHS |
| EN Standards | CE |
| Warranty international | 2 years |
| Customs number | 85365000 |
| Country of origin | CN |

**Heatit Controls AS**
Mattisrudsvingen 19, 2827 Hunndalen, Norway
**Tel:** +47 61 18 77 77 | post@heatit.com
**heatit.com** | **documents.heatit.com**

RoHS Compliant   REACH Compliance   CE

Ver. EN2510-118
Page:1/3

## PRODUCT DIMENSIONS

| | | | |
|---|---|---|---|
| Product height/diameter | 70mm | Product Width | 94mm |
| Product length | 90mm | Product net weight | 134g |

## MAINTENANCE

The device is maintenance-free. Indoor use only.

## ADDITIONAL INFORMATION

Dimming may be challenging, and we recommend checking the compatibility of different light sources before installation.

When connecting low loads it is recommended to use a bypass.

## RETURN AND RECYCLING

The product must be recycled as electronic waste.

## DISCLAIMER

We develop and design our products according in accordance with our strict quality requirements (ISO 9001) and environmental requirements (ISO 14001).
All electrical installations must be carried out by an authorized electrical installer. The product must be installed in accordance with our installers manual and national building codes. Any wrongful installation, misuse, damage of the product, is not covered under warranty.

Updated documentation is available at www.heatit.com and/or documents.heatit.com
Heatit Controls AS can not be held liable for any type of errors or omittances in our product information.
Product specifications may change without further notice.

**Heatit Controls AS**
Mattisrudsvingen 19, 2827 Hunndalen, Norway
**Tel:** +47 61 18 77 77 | post@heatit.com
**heatit.com** | **documents.heatit.com**

RoHS Compliant    REACH Compliance    CE

Ver. EN2510-118
Page:2/3

**Heatit eezedim 2P white RAL 9010 can be ordered from www.heatit.com/1444431**

All additional documentation are available on the above adress and on **documents.heatit.com/1444431**

**Heatit Controls AS**
Mattisrudsvingen 19, 2827 Hunndalen, Norway
**Tel:** +47 61 18 77 77 | post@heatit.com
**heatit.com** | **documents.heatit.com**

**RoHS** Compliant
**REACH** Compliance
C E

Ver. EN2510-118
Page:3/3