


HEATIT EEZEDIM 2P WHITE RAL 9010

Rotary dimmer 5W-250W 2 Pol

Art.no 1444431

GTIN 7071236016892

Heatit eezedim 2P is a 2-poled rotary dimmer for dimming lights in bathrooms and other rooms requiring a 2-pole switch. Heatit eezedim 2P is very well suited for LED. It can also be used for incandescent lamps, electronic transformers or 230VAC halogen lamps.

The dimmer fits in an European electrical wall box and can be used with most frames that are adapted to System 55.

PRODUCT FEATURES

2-poled rotary dimmer
 4-wire
 Connection of both phases (2-pole break)
 5W - 250W LED
 Trailing edge
 Min. dim level

ELECTRO TECHNICAL DATA

Voltage	230VAC 50Hz
Method of regulation	Rotary dimming
Connection type	Screw clamps
Connection terminals diameter	0.2 til 2.5mm ²
Max tightening torque connections	2N·m

MAINTENANCE

The device is maintenance-free. Indoor use only.

ADDITIONAL INFORMATION

Dimming may be challenging, and we recommend checking the compatibility of different light sources before installation.

When connecting low loads it is recommended to use a bypass.

PRODUCT INFO RETURN AND RECYCLING

The product must be recycled as electronic waste.

STANDARDS

EN Standards	CE	Certification	RoHS Reach
IP Class	IP21		

WARRANTY

Warranty Norway	5 years	Warranty international	2 years
-----------------	---------	------------------------	---------

LOGISTICAL DATA (F-PACK)

Width	94mm	Height/diameter	70mm
Length	90mm	Weight	134g
GTIN	7071236016892	Unit	BOX
Consists of unit	EA	Quantity	1

LOGISTICAL DATA (M-PACK)

Width	375mm	Height/diameter	105mm
Length	205mm	Weight	1650g
GTIN	7071236 01689	Unit	CARTON
Consists of unit	BOX	Quantity	10

LOGISTICAL DATA (D-PACK)

Width	425mm	Height/diameter	550mm
Length	385mm	Weight	18000g
GTIN	7071236016892	Unit	CARTON
Consists of unit	CARTON	Quantity	100



DISCLAIMER

We develop and design our products according in accordance with our strict quality requirements (ISO 9001) and environmental requirements (ISO 14001).

All electrical installations must be carried out by an authorized electrical installer. The product must be installed in accordance with our installers manual and national building codes. Any wrongful installation, misuse, damage of the product, is not covered under warranty.

Updated documentation is available at www.heatit.com and/or documents.heatit.com

Heatit Controls AB can not be held liable for any type of errors or omissions in our product information.

Product specifications may change without further notice.



**Heatit eezedim 2P white RAL 9010 can be ordered from
www.heatit.com/1444431**

All additional documentation are available on the above adress and on documents.heatit.com/1444431

