



Document generated 27. Jun 2025 kl. 16:32





PRODUCT FEATURES

- 2-poled rotary dimmer
- Trailing edge

• 4-wire

- Min. dim level
- 5W 250W LED
- Connection of both phases (2-pole break)

۲	K	U	υ	U	C	υ	A	ı	H	۱
										-

Colour	White RAL 9010
Mounting	European Junction Box
Min. and max ambient humidity (RH%)	10 to 85%
Ambient temperature range in use	5 to 40°C
Ambient temperature range in storage	-30 to 70°C

ADDITIONAL INFO	
IP Code	IP21
Certification	Reach, RoHS
EN Standards	CE
Warranty international	2 years
Customs number	85365000
Country of origin	CN

HEATIT EEZEDIM 2P WHITE RAL 9010

Rotary dimmer 5W-250W 2 Pol

Art.no 1444431

GTIN 7071236016892

Heatit eezedim 2P is a 2-poled rotary dimmer for dimming lights in bathrooms and other rooms requiring a 2-pole switch. Heatit eezedim 2P is very well suited for LED. It can also be used for incandescent lamps, electronic transformers or 230VAC halogen lamps.

The dimmer fits in an European electrical wall box and can be used with most frames that are adapted to System 55.

ELECTRO TECHNICAL DATA	
Voltage	230VAC 50Hz
Method of regulation	Rotary dimming
Connection type	Screw clamps
Connection terminals diameter	0.2 to 2.5mm ²
Max tightening torque connections	2N·m
Voltage Output	230VAC 50Hz











PRODUCT DIMENSIONS					
Product height/diameter	70mm	Product Width	94mm		
Product length	90mm	Product net weight	134g		

MAINTENANCE

The device is maintenance-free. Indoor use only.

ADDITIONAL INFORMATION

Dimming may be challenging, and we recommend checking the compatibility of different light sources before installation.

When connecting low loads it is recommended to use a bypass.

RETURN AND RECYCLING

The product must be recycled as electronic waste.

DISCLAIMER

We develop and design our products according in accordance with our strict quality requirements (ISO 9001) and environmental requirements (ISO 14001).

All electrical installations must be carried out by an authorized electrical installer. The product must be installed in accordance with our installers manual and national building codes. Any wrongful installation, misuse, damage of the product, is not covered under warranty.

Updated documentation is available at www.heatit.com and/or documents.heatit.com
Heatit Controls AS can not be held liable for any type of errors or omittances in our product information.
Product specifications may change without further notice.













Heatit eezedim 2P white RAL 9010 can be ordered from www.heatit.com/1444431



All additional documentation are available on the above adress and on documents.heatit.com/1444431







