



MULTIREG S-CONTROL 3600W 16A

Thermostat White RAL 9010

Art.no 5430333

GTIN 7071236008316

Multireg S-Control is an electronic thermostat with four functions. The thermostat is easy to install and program, and the design makes it very user-friendly. The thermostat has a setback temperature option.

Multireg S-Control is equipped with a 2-pole switch, and fits System 55 frames.

п	Ю.	_	_			- 6		ΛТ		п	C
М	к	u	v	u	LI	-	·c/	41	u	к	ES

Floor sensor Internal room sensor Power regulator Temperature limiter

THERMOSTAT DATA	
Compatible NTC-sensors (k Ω @ 25°C)	10, 12, 15, 22, 33, 47
Power regulator	Timed cycle 0-30 minutes
Hysteresis	0,3 to 3,0 (default hysteresis 0,5)
Ohm value at 25°C	10kΩ
Regulation temperature	5 til 40°C

ELECTRO TECHNICAL DATA	
Voltage	230VAC 50Hz
Max load (resistive load)	3600W
Own power usage	0.5W
Switch type	Two-pole switch
Max load (resistive load Ampere)	16A
Connection type	Screw clamps
Connection terminals diameter	0.2 til 2.5mm²
Max tightening torque connections	2N·m





MAINTENANCE

The device is maintenance-free. Indoor use only.

ADDITIONAL INFORMATION

Diode

Green light when the thermostat is in standby Constant red light when the relay is switched on and the power is switched on Flashing red light in case of sensor fault or that the floor sensor is not connected

5 years

Terminal

Use 1.5mm2 or 2.5mm2 as needed.

PRODUCT INFO RETURN AND RECYCLING

The product must be recycled as electronic waste.

STANDARDS				
EN Standards	LVD 2014/35/EU EMC 2014/30/EU RoHS 2011/65/EU	Certification	CE	
IP Code	IP21			

WARRANTY

Warranty Norway

LOGICTICAL DATA (F.DACK)

LOGISTICAL DATA (F-PACK)							
Width	120mm	Height/diameter	80mm				
Length	120mm	Weight	210g				
GTIN	7071236008316	Unit	EA				
Consists of unit	EA	Quantity	1				

LOGISTICAL DATA (M-PACK)						
Width	395mm	Height/diameter	130mm			
Length	560mm	Weight	5800g			
GTIN	7071236017950	Unit	EA			
Consists of unit	EA	Quantity	25			









DISCLAIMER

All electrical installations must be carried out by an authorized electrical installer.


The product must be installed in accordance with our installers manual and national building codes. Any wrongful installation, misuse, damage of the product, is not covered under warranty.

Updated documentation is available at www.thermo-floor.no/www.heatit.com og/eller documents.thermo-floor.no/documents.heatit.com Thermo-Floor AS/Heatit Controls AB can not be held liable for any type of errors or omittances in our product information. Product specifications may change without further notice.









Multireg S-Control 3600W 16A can be ordered from www.thermo-floor.no/5430333



All additional documentation are available on the above adress and on documents.thermo-floor.no/5430333



