



## PRODUCT FEATURES

- Illuminated on/off switch.
- Adjustable temperature control thermostat, enabling easy adjustment of the operating temperature to suit different glue formulas (from low melt to high temperature polyamides), and to suit different applications.
- Highly efficient melt chamber gives a fast heat-up time of only 3-4 minutes.
- High glue output in excess of 2.5 kilos per hour.
- Thin profile gun body with extended nozzle tip to improve visibility, allowing accurate glue placement.
- Adjustable full-hand lever trigger and soft-feel grip for optimum comfort.
- Detachable base stand incorporating a nozzle spanner and storing the thermostat adjustment tool.

## ADDITIONAL INFO

Certification	CE
EN Standards	CE

<b>Art.no</b>	8811386
<b>GTIN</b>	7071236009436

The Tec 800-series are professional glue guns that glue effectively and are very easy to use. The glue guns are thermostatically controlled and the stainless steel chamber ensures fast heating (3-4 min.) and maximum tool life. The Tec 820 has a thermostat that can be temperature-adjusted. This means that the glue gun can be used for all types of 12mm glue sticks (including low melt and polyamide glue) without adjustments.

The grip on the handle can be adjusted for different hand sizes and for the amount of glue applied at each pressure. The nozzle is easy to clean. The glue gun's narrow profile and removable foot makes it easy to get to in narrow corners.

## ELECTRO TECHNICAL DATA

Voltage	230V
---------	------



## PRODUCT DIMENSIONS

Product height/diameter	90mm	Product Width	330mm
Product length	250mm	Product net weight	1050g

## DISCLAIMER

We develop and design our products according in accordance with our strict quality requirements (ISO 9001) and environmental requirements (ISO 14001).

All electrical installations must be carried out by an authorized electrical installer. The product must be installed in accordance with our installers manual and national building codes. Any wrongful installation, misuse, damage of the product, is not covered under warranty.

Updated documentation is available at [www.thermo-floor.no](http://www.thermo-floor.no) and/or [documents.thermo-floor.no](http://documents.thermo-floor.no)

Heatit Controls AS can not be held liable for any type of errors or omissions in our product information.

Product specifications may change without further notice.



**Tec limpistol 820-12 300W Ø12 can be ordered from**  
**[www.thermo-floor.no/8811386](http://www.thermo-floor.no/8811386)**

All additional documentation are available on the above adress and on [documents.thermo-floor.no/8811386](http://documents.thermo-floor.no/8811386)

